# Investigating Invertebrate Biodiversity with Berlese Funnels

A Carolina Essentials™ Investigation

#### **Student Worksheet**

#### Overview

Understanding the relationships among biotic diversity and abiotic factors in an ecosystem can be a difficult task. Using soil invertebrates, both the number of species present in a soil sample and the number of individuals within a species can be identified. With some simple math, the density of invertebrates found in a plot can be calculated. A Berlese funnel will be constructed to collect and identify soil invertebrates.

#### **Essential Question**

How can the biodiversity and density of soil invertebrates be studied?

## **Investigation Objectives**

- 1. Construct a Berlese funnel.
- 2. Collect and identify soil invertebrates.
- 3. Calculate the density of soil invertebrates.

## **Safety Precautions**

Use scissors properly. Take necessary precautions for those with allergies to bug bites, insect stings, plants, or pollen.

#### **Procedure**

- 1. Using scissors, cut the bottom off the jug.
- 2. Tape around the edge of the cut end.
- 3. Place the milk spout in the mouth of the jar. The jug serves as the funnel. The jar is the collection chamber.
- 4. Bend the mesh screen so that it fits securely into the milk jug and forms a stable platform for the soil sample. Do not let the screen fall below the handle.
- 5. At the assigned location, collect about a cup of soil and leaf litter (the top 1 cm of soil).
- 6. Place the top layer of soil into the funnel.
- 7. Pour 2 cm of alcohol into the beaker or jar.
- 8. Place the funnel on the jar. Tape a ruler or similar support to the handle of the funnel and to the side of the jar to ensure that the funnel remains steady.
- 9. Place the Berlese funnel under the incandescent lamp.
- 10. Adjust the lamp to direct the light onto the top of the sample from about 20 cm away.
- 11. Let the Berlese funnel stay under the light for several days.
- 12. Identify the soil invertebrates that have fallen into the alcohol.

#### Disposal

Return excess soil outside. Once invertebrates are identified, flush alcohol down the sink with water. Dispose of invertebrates in the trash.

Continued on the next page.

#### **MATERIALS**

- 1 1-gallon plastic jug with cap
- 1 1000-mL beaker or quart jar

Square of mesh screen

Ethanol (70–95%) or isopropanol (70%), 50 to 100 mL  $\,$ 

- 1 incandescent bulb
- 1 scissors
- 1 ruler

Tape

- 1 soil sample from a plot that is  $50 \text{ cm} \times 50 \text{ cm}$
- 1 spade, shovel, or other digging tool per student

Invertebrate key



S<sub>1</sub>

# Data

Identify and record the type and number of invertebrates in the soil sample.

# **Soil Invertabrates**

Species	Class	Number (n)	
Total (N)			

# **Analysis**

1	Calculate invertebrate	doncity (Doncity	- number of	f animale/area	(E0 cm v)	50cm
1.	Calculate Inventebrate	uensity, thensity	= Hullibel O	al III II als/alea	TOU CITEX	SUCITIO

 $2. \quad \hbox{Compare group results and discuss differences in samples and locations.}$ 

